#### U3A

Height: 32.4" Width: 34.5" Depth: 21.0" (82.3cm) (87.6cm) (53.3cm)



- · Half-batch option
- Large water tank-over 20gal
- Unique design assures extremely low evaporation loss to maintain the brew at its flavorful peak
- · All stainless steel construction
- Draw off hot water during brewing cycle without affecting coffee quality
- Top mounted components for ease of service





#### **Specifications**

Water Access: Plumbed

Finish: Stainless Funnel: Black Plastic Agency:

**Additional Features** 

### **Electrical & Capacity**

Volts* Amps Watts Cord Attached Plug Type 8oz cups/hr Input H²O Phase Phase	Am	Amne   Watte   Plug Ivna   Plug Ivna   Phaea	# Wires plus Ground	Hertz

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

#### Plumbing Requirements


PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	
20-90	138-621	3/8" Male Flare Fitting	-	

## **CAD Drawings**

2D	Revit	KLC
•		

**MARNING**:






Unit			Shipping					
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	32.4 in.	34.5 in.	21.0 in.	30.7 in.	26.5 in.	36.5 in.	112.150 lbs	17.201 ft³
Metric	82.3 cm	87.6 cm	53.3 cm	78.0 cm	67.4 cm	92.7 cm	50.871 kgs	0.487 m³



# Related Products & Accessories: U3A(20500.0016)





SYSTEM, WEQ-25(2).2L

Product #: 56000.0025

SYSTEM, WEQ-10(1.5)5

Product #: 56000.0027

CARTRIDGE, WQ-55(2)5L

Product #: 56000.0101

SYSTEM, WEQ-25(2).2

Product #: 56000.0028

CARTRIDGE, WQ-55

(3).2L

Product #: 56000.0102

# Related Products & Accessories: U3A(20500.0016)













# Serving & Holding Options: U3A(20500.0016)





