ICBA

Height: 26.2" Width: 10.0" Depth: 24.8" (66.5cm) (25.4cm) (63.0cm)



- Large 3gal (11.4L) tank provides back-to-back brewing capacity
- Brews into 2.5 to 3.8L (84 to 128oz) airpots and 3.8 and 5.7L (1 to 1.5gal) baseless
 ThermoFresh® servers for easy transport of coffee to other locations
- BrewWISE® intelligence with pre-infusion and pulse brew for maximum flavor extraction
- Digital display in English/Spanish for easier programming and control. Advertising messages and machine status also displayed. Display capable of showing English or Metric measurements.
- Easy pulse display allows for simplified programming of pulse routine
- Energy-saver mode reduces tank temperature during idle periods
- Includes overlay kit for customization of brewer interface
- Three brew buttons allow for 3 separate brewing profiles. Two programmable batch switches allow full and half batch brewing.
- Servers not included unless otherwise noted



Agency:

EHE CE

Specifications

 Product #: 36600.0001
 Faucet: Variable
 BrewWISE

Water Access: Plumbed

Finish: Stainless
Funnel: Smart Funnel

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
220-240	11.0-12.0	2400-2900	-	-	149	60°F (15.5°C)	1	2	50/60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

· · · · · · · · · · · · · · · · · · ·					
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)		
20-90	138-621	3/8" Male Flare Fitting	-		


CAD Drawings


Additional Features

2D	Revit	KLC
•		

MARNING:







Unit				Shipping					
	Height	Width	Depth	Height	Width	Depth	Weight	Volume	
English	26.2 in.	10.0 in.	24.8 in.	34.9 in.	13.3 in.	27.4 in.	46.126 lbs	7.321 ft³	
Metric	66.5 cm	25.4 cm	63.0 cm	88.6 cm	33.7 cm	69.5 cm	20.923 kgs	0.207 m³	



Related Products & Accessories:ICBA(36600.0001)




FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000



FUNNEL ASSY, W/ INSERTS SMTF

Product #: 32643.0000



Product #: 32643.0010



Product #: 39000.0001




















Product #: 56000.0004



Serving & Holding Options: ICBA(36600.0001)



AIRPOT, 2.5L GL PB SINGLE PK

Product #:13041.0001



AIRPOT, 2.5L GL PB 6/ CASE

Product #:13041.0101



AIRPOT, 2.5L SST LA SINGLE PK

Product #:32125.0000



AIRPOT, 2.5L SST LA 6/ CASE

Product #:32125.0100



AIRPOT, 3.0L SST LA SINGLE PK

Product #:32130.0000



AIRPOT, 3.0L SST LA 6/ CASE

Product #:32130.0100



AIRPOT, 3.8L SST LA SINGLE PK

Product #:36725.0000



AIRPOT, 3.8L SST LA 6/ CASE

Product #:36725.0100



STAND ASSY, TF SERVER

Product #:39795.0003



TF SERVER, DSG2 1G SST NOBASE

Product #:42700.0050



TF SERVER, DSG2 1G BLK NOBASE

Product #:42700.0051



TF SERVER, DSG2 1G SST CD NOBAS

Product #:42700.0052



TF SERVER,DSG2 1.5G SST NOBAS

Product #:42750.0050



TF SERVER, DSG2 1.5G SST CD NOBAS

Product #:42750.0052



TF SERVER, 1G/3.8L MECH NOBASE

Product #:44000.0050



TF SERVER, 1G/3.8L MECH BLK NOBASE

Product #:44000.0051



TF SERVER, 1.5G/5.7L MECH NOBASE

Product #:44050.0050



TF SERVER, 1.5G/5.7L MECH BLK NOBASE

Product #:44050.0051

