H5XA Element BLK, CE EURO

Height: 28.5" Width: 7.4" Depth: 18.9" (72.4cm) (18.8cm) (48.0cm)



- LED display provides simple temperature adjustment
- Thinsulate® tank insulation provides increased energy efficiency
- Digital thermostat provides constant and accurate temperatures of 60°- 212°F (15.6°-100°C)
- Programmable "Energy Saver Mode" reduces operating cost during idle periods
- The perfect tool for added control over quality coffee and tea
- Contemporary, space-saving design

Agency:

EHE RR CE

Specifications

Product #: 43600.0022 **Temp. Setting:** 212°F (100.000°C)

Water Access: Plumbed Dispense: Pull & Hold

Finish: Black
Faucet: Upper

Additional Features

Electrical & Capacity

				<u> </u>						
Volts*		Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
	220-240	15.5-16	3400-3800	Yes	EURO 16A	-	60°F (15.5°C)	1	2	50/60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements


PSI kPa		Fitting Supplied	Water Flow Required (GPM)				
20-90 138-621		1/4" Male Flare Fitting	-				


CAD Drawings


2D	Revit	KLC
•		


MARNING:












Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	28.5 in.	7.4 in.	18.9 in.	32.9 in.	11.0 in.	20.7 in.	32.500 lbs	4.338 ft ³
Metric	72.4 cm	18.8 cm	48.0 cm	83.7 cm	27.9 cm	52.5 cm	14.742 kgs	0.123 m³




Related Products & Accessories: H5XA Element BLK, CE EURO(43600.0022)
































Serving & Holding Options: H5XA Element BLK, CE EURO(43600.0022)

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

