GVH-2, 220-240V 50/60HZ CE Euro TrkiBurr

Height: 24.6" Width: 7.3" Depth: 15.8" (62.5cm) (18.5cm) (40.1cm)



- New sleek styling with visual .91 kg (2 lb) hopper promotes freshly ground coffee
- Versatile design allows grinding into bags, cans, and cups and other containers to meet a multitude of customer needs
- Base Model 55600.0001 can be purchased separately, as can any of the compatible hoppers (.45kg hopper=p/n 54329.1000; .90kg hopper=p/n 54332.1000; 1.36kg hopper=p/n 54335.1000)
- Fast grinding .91 kg (two pounds) in about 60 seconds maximizes speed of service
- 340° dial resolution for precise tuning of grind particle size
- Ergonomic clamp holds smaller size bags and containers in place for hands-free operation
- Easy to use cleaning lever ensures complete removal of all ground coffee from the grind chamber
- Precision Rockwell 65C hard burrs provide consistency, grind after grind
- Bag switch prevents grinding before bag/container is in place
- Industry leading grinding burr warranty
- Turkish Burrs for finer grind particle size

Agency:

CE

Additional Features

Specifications

Product #: 55600.0201

Finish: Stainless

Hoppers: One

Hopper Capacity: 2.00 lbs (0.907 kgs)

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H²O Temp.	Phase	# Wires plus Ground	Hertz
220-240	6.5-7.8	990-1080	Yes	EURO 16A	-	60°F (15.5°C)	1	2	50-60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

CAD Drawings

	U 1		0			
PSI	kPa	Fitting Supplied Water Flow Required (GPM)		2D	Revit	KLC
-	-	-	-	•		
•						


MARNING:



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle

Last Updated: 09/30/2022

the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Unit				Shipping					
	Height	Width	Depth	Height	Width	Depth	Weight	Volume	
English	24.6 in.	7.3 in.	15.8 in.	31.4 in.	11.2 in.	20.1 in.	52.140 lbs	4.076 ft ³	
Metric	62.5 cm	18.5 cm	40.1 cm	79.7 cm	28.4 cm	51.0 cm	23.651 kgs	0.115 m³	



 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Last L

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 09/30.

 For most current specifications and other info visit bunn.com.
 09/30.

Last Updated: 09/30/2022

Related Products & Accessories: GVH-2, 220-240V 50/60HZ CE Euro TrkiBurr (55600.0201)

	<	
BURR SET KIT, NEW	BURR SET KIT, TURKISH GRIND	CHUTE ASSY, TRIFECTA - GVH
Product #: 05861.1002	Product #: 11285.1000	Product #: 55032.0000



Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle Last Updated: the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. 09/30/2022 For most current specifications and other info visit bunn.com.